PRODUCT CODE: 10031	STORK'S NEST SWING - PINE WOOD	SWINGS



DEVICE DATA

Easily accessible device

Compliance with the PN-EN standard: 1176-1:2017-12

Number of users : 2

Age group : +1

Width : 3.50 m

Length : 1.92 m

Height : 2.40 m


Minimum space required : 7.40 mx 3.50 m


Free fall height : 1.25 m

Fall area : 25.90 m²

Foundation depth : -0.60 m

PROJECTION AND VIEW OF THE DEVICE





COMPONENTS

Supporting structure : 1 set

Seat nest : 1 pc.

TECHNOLOGY

Structural legs: pine wood, glue laminated , cross-section 90x90mm, impregnated and painted with acrylic glaze in dark walnut color

Anchors: galvanized steel

Horizontal beam: square steel profile, cross-section 70x70mm, mounting plate girders 4mm thick, all hot-dip galvanized, powder coated

Seat: made of braided polypropylene ropes, attached to a metal ring, protected with a shock-absorbing layer and wrapped in polypropylene rope

Chain: 6mm calibrated chain, stainless steel

Slings: steel, galvanized, mounted on plastic sliding bushings

Caps: system caps made of plastic, dimensions adapted to the mounting screws used

Foundations: concrete class at least C12/15

Due to continuous improvement of technical solutions, the presented drawings, including colors and dimensions, may differ slightly from the currently manufactured devices.

NOLMO Sp. z o. o. reserves all rights to copyright protection under the Act of 04.02.1994 on Copyright and Related Rights (Journal of Laws No. 28 item 83), in particular Articles 78 and 79 of that Act.