PRODUCT CODE: 20010F-PINE	INTEGRATION SWING – PINE WOOD	SWINGS



DEVICE DATA

PROJECTION AND VIEW OF THE DEVICE

Easily accessible device

Compliance with the PN-EN standard: 1176-1:2024-03

Number of users : 2

Age group : +1

Width : 2.40 m


Length : 1.86 m

Height : 2.40 m


Minimum space required : 7.40 mx 2.40 m

Free fall height : 1.25 m

Fall area : 17.76 m²



Foundation depth : -0.60 m



COMPONENTS

Supporting structure : 1 set

Seat : 1 set

TECHNOLOGY

Structural legs: pine wood, glued, coated with dark walnut acrylic glaze

Anchors: black steel, hot dip galvanized

Steel elements: galvanized steel, powder-coated in gray

Swing seat: multi-strand polypropylene ropes multi-strand polypropylene, with a steel core, Ø 16mm

Chain: stainless steel

End caps: plastic

Foundations: concrete class at least C12/15

Due to continuous improvement of technical solutions, the presented drawings, including colors and dimensions, may differ slightly from the currently manufactured devices.

NOLMO Sp. z o. o. reserves all rights to copyright protection under the Act of 04.02.1994 on Copyright and Related Rights (Journal of Laws No. 28 item 83), in particular Articles 78 and 79 of that Act.